

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3542	365/230.03.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:07
L2	3263	365/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:07
L3	1463	365/207.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:09
L4	2	L1 and L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:09
L5	194	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:12
L6	1662	365/230.08.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:12
L7	3626	365/230.06.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:12
L8	4205	(deselect\$3 de-select\$3 unselect\$3 un-select\$3 nonselect\$3 non-select\$3 deactivat\$3 de-activat\$3 unactivat\$ un-activat\$3 inactivat\$3 in-activat\$3 disabl\$3) with (wordline (word adj line) row) with (block bank array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:23

L9	576	L8 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:20
L10	36	L9 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:20
L11	247	365/220.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:19
L12	206	L8 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:19
L13	14	L8 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:20
L14	4904	L6 L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:20
L15	530	L8 and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:20
L16	36	L8 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:20

L17	3	L13 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:21
L18	175	(deselect\$3 de-select\$3 unselect\$3 un-select\$3 nonselect\$3 non-select\$3 deactivat\$3 de-activat\$3 unactivat\$ un-activat\$3 inactivat\$3 in-activat\$3 disabl\$3) with (wordline (word adj line) row) with (first adj3 (block bank array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:24
L19	166	(deselect\$3 de-select\$3 unselect\$3 un-select\$3 nonselect\$3 non-select\$3 deactivat\$3 de-activat\$3 unactivat\$ un-activat\$3 inactivat\$3 in-activat\$3 disabl\$3) with (wordline (word adj line) row) with (second adj3 (block bank array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:24
L20	109	L18 same L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:24
L21	37	L20 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:25
L22	6	L21 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:25